

# Product Information

## Material Safety Data Sheet – Ready Mixed Concrete

<p>1. (a) <b><u>Identification of Product</u></b></p> <p>Ready Mixed Concrete</p> <p>(b) <b>Wright Quarry Products Limited</b></p> <p><b>Phone: 042 9744811 Fax: 042 9744940</b></p> <p>(c) <b><u>Application:</u></b></p> <p>Use of Ready Mixed Concrete should be in accordance with the relevant National / European Union codes of practice.</p> <p>2. <b><u>Composition of Ingredients</u></b></p> <p>Ready Mixed Concrete is a mixture of natural aggregates, cement and water. Admixtures may be added to modify the properties of the finished product.</p> <p>3. <b><u>Hazard Identification</u></b></p> <p>(a) <b><u>Fresh Concrete</u></b></p> <p>Fresh concrete contains cement and water with the result that an alkaline solution is produced.</p> <p>Prolonged skin contact with wet concrete can result in cement burns. The abrasiveness of the constituents can aggravate the effect</p> <p>Repeated skin contact with fresh concrete over a period may cause irritant contact dermatitis. The abrasiveness of the constituents can aggravate the effect.</p>	<p>Some skins are more sensitive to fresh concrete, and to the small amounts of chromate which may be present and can develop allergic contact dermatitis, however this is rare.</p> <p>Fresh ready-mixed concrete exerts pressure both horizontally and vertically. Movement/collapse of formwork/shuttering, etc. is therefore possible if such formwork/shuttering, etc. and any falsework or ancillary equipment associated with it, is not properly designed and erected.</p> <p>Fresh concrete which is not stiff in consistency can support very little weight. Submersions of persons in deep sections of fresh concrete is therefore possible.</p> <p>(b) <b><u>Hardened Concrete</u></b></p> <p>Cutting, drilling or hammering of hardened concrete can create dust. If inhaled in excessive quantities over extended periods, respirable dust can constitute a long-term hazard.</p> <p>Cutting, drilling or hammering of hardened concrete slabs, unless adequately controlled can project particles at high velocity with consequent risk of impact damage and/injury particularly to exposed areas of the body and eyes.</p>
<p><b>DISCLAIMER</b></p> <p>This Material Safety Data Sheet has been prepared by Wright Quarry Products Limited.</p> <p>Every care has been taken to ensure that the information contained herein is correct and accurate at the date of publication. However, Wright Quarry Products Limited cannot accept any responsibility or liability for any errors, inaccuracies or omissions which may have occurred inadvertently.</p>	

# Product Information

<p><b>4. <u>First Aid Measures</u></b></p> <p>First Aid treatment is as follows:</p> <p><b>4.1. <u>Eye Contact (Fresh Concrete)</u></b> Immediately rinse under running water and seek medical advice.</p> <p><b>4.2. <u>Skin Contact (Fresh Concrete)</u></b> Immediately rinse affected areas under running water.</p> <p><b>4.1 <u>Cuts/Abrasions</u></b> Cuts, abrasions from hardened concrete, should be cleaned and treated using the normal First-Aid method. Wounds must receive prompt medical attention.</p> <p>In all cases of doubt or where symptoms persist medical advice must be obtained.</p> <p><b>5. <u>Fire Fighting Measures</u></b> Not applicable</p> <p><b>6. <u>Accidental Release Measures</u></b></p> <p>6.1 Avoid contact with skin</p> <p>6.2 Prevent entry of the wet concrete into water courses, drains or other areas where hardened materials cause problems.</p> <p>6.3 Take up product using appropriate equipment.</p> <p>7. Handling.</p> <p>7.1 Avoid contact with eyes &amp; skin.</p> <p>7.2 Before lifting always size up the load. Always follow safe lifting and manual handling procedures</p>	<p>7.3 Ensure that all formwork/shuttering, etc. any falsework or ancillary equipment associated with it, is properly designed and erected to safely withstand the pressures exerted on it by fresh ready mixed concrete</p> <p>Ensure that unauthorised access to deep sections of fresh concrete which is not stiff in consistency Is prohibited.</p> <p><b>8. <u>Exposure Controls/Personal Protection</u></b></p> <p><b>8.1 <u>Hand Protection</u></b> Wear suitable protective gloves.</p> <p><b>8.2 <u>Skin Protection.</u></b> Avoid contact with skin. Overalls should be worn.</p> <p><b>8.3 <u>Eye Protection.</u></b> Wear goggles to prevent eye contact from splashing of fresh concrete or flying particles when hammering hardened concrete.</p> <p><b>8.4 <u>Masks</u></b> Wear appropriate respiratory protection when cutting, drilling or hammering hardened concrete.</p> <p><b>8.5 <u>Footwear</u></b> Wear knee high rubber boots or similar with protective toecaps.</p> <p><b>8.6 <u>Kneepads</u></b> Wear kneepads when kneeling on fresh concrete.</p>
--	--

## DISCLAIMER

This Material Safety Data Sheet has been prepared by Wright Quarry Products Limited.

Every care has been taken to ensure that the information contained herein is correct and accurate at the date of publication. However, Wright Quarry Products Limited cannot accept any responsibility or liability for any errors, inaccuracies or omissions which may have occurred inadvertently.

# Product Information

<p>9. <b><u>Physical &amp; Chemical Properties.</u></b> Density is typically 2.4 tonnes per cubic metre. pH level of fresh mortar, is typically 12.</p> <p>Fresh concrete is usually grey in colour and earth-moist to free flowing in form.</p> <p>Ready Mixed Concrete hardens through a chemical reaction between cement and water. The product is abrasive.</p> <p>10. <b><u>Stability &amp; Reactivity</u></b> Not applicable</p> <p>11. <b><u>Toxicological Information</u></b> No risk upon observance of safety instructions at 6, 7 &amp; 8 above</p> <p>12. <b><u>Ecological Information</u></b> Fresh Mortar, renders and screeds may result in change in pH level and may influence aquatic life forms.</p> <p>Hardened concrete may be recycled or placed in approved licensed landfill site.</p> <p>13. <b><u>Disposal Considerations</u></b> Hardened mortar, render and screeds may be recycled or placed in approved licensed landfill site.</p> <p>14. <b><u>Transportation.</u></b> No risk on observance of safety instructions at 6, 7 &amp; 8 above.</p>	<p>15. <b><u>Regulatory Information.</u></b> Not applicable.</p> <p>16. <b><u>Other Information</u></b> None</p>
<p><b>DISCLAIMER</b> This Material Safety Data Sheet has been prepared by Wright Quarry Products Limited.</p> <p>Every care has been taken to ensure that the information contained herein is correct and accurate at the date of publication. However, Wright Quarry Products Limited cannot accept any responsibility or liability for any errors, inaccuracies or omissions which may have occurred inadvertently.</p>	